

Addendum to “The Dirac-Coulomb Sturmians and the series expansion of the Dirac-Coulomb Green function: application to the relativistic polarizability of the hydrogen-like atom”

[*J. Phys. B: At. Mol. Opt. Phys.* **30** (1997) 825–61,  
(E) **30** (1997) 2747]

Radosław Szmytkowski

Atomic Physics Division  
Faculty of Applied Physics and Mathematics  
Technical University of Gdańsk  
ul. Gabriela Narutowicza 11/12, PL 80-952 Gdańsk, Poland  
E-mail: radek@mif.pg.gda.pl

19th February 1999

#### Abstract

Closure relations satisfied by the radial Dirac-Coulomb Sturmians are proved analytically. The Sturmian expansion of the Dirac-Coulomb Green function is transformed to the form containing only series with summations running over non-negative indices. The main paper was published in *J. Phys. B: At. Mol. Opt. Phys.* **30** (1997) 825–61 [Erratum: **30** (1997) 2747], see also *J. Phys. A: Math. Gen.* **31** (1998) 4963–90 [Erratum: **31** (1998) 7415–6].

## 1 Proofs of the closure relations

In this section it is our goal to prove correctness of the following closure relations satisfied by the Dirac-Coulomb Sturmians (equations (91) and (26) of Ref. [1])

$$\frac{\alpha^{-1}}{2} \sum_{n=-\infty}^{\infty} \begin{pmatrix} \varepsilon S_{n\kappa}(x) \\ \varepsilon^{-1} T_{n\kappa}(x) \end{pmatrix} \begin{pmatrix} S_{n\kappa}(x') & T_{n\kappa}(x') \end{pmatrix} = \delta(x - x') \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad (1)$$

and

$$\frac{Z}{x} \sum_{n=-\infty}^{\infty} \begin{pmatrix} S_{n\kappa}(x) \\ -\mu_{n\kappa}^{-1} T_{n\kappa}(x) \end{pmatrix} \begin{pmatrix} \mu_{n\kappa} S_{n\kappa}(x') & T_{n\kappa}(x') \end{pmatrix} = \delta(x - x') \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}. \quad (2)$$

In the proofs we shall use the following forms of the upper and lower components of the radial Sturmians (equations (60) and (61) of Ref. [1])

$$S_{n\kappa}(x) = \sqrt{\frac{\alpha(|n| + 2\gamma_\kappa)|n|!}{2\varepsilon N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)}} x^{\gamma_\kappa} e^{-x/2} \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right], \quad (3)$$

$$T_{n\kappa}(x) = \sqrt{\frac{\alpha\varepsilon(|n| + 2\gamma_\kappa)|n|!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)}} x^{\gamma_\kappa} e^{-x/2} \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \quad (4)$$

(the upper signs should be taken for  $n > 0$  and the lower signs for  $n < 0$ ; for  $n = 0$  one takes the upper sign if  $\kappa < 0$  and the lower one if  $\kappa > 0$ ), the expression for the eigenvalue  $\mu_{n\kappa}$  associated with the Sturmian  $\begin{pmatrix} S_{n\kappa}(x) & T_{n\kappa}(x) \end{pmatrix}^\top$  (equation (52) of Ref. [1])

$$\mu_{n\kappa} = \varepsilon\zeta(|n| + \gamma_\kappa \pm N_{n\kappa}) \quad (5)$$

and the well-known closure relation for the generalized Laguerre polynomials

$$x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') = \delta(x - x'). \quad (6)$$

Consider equation (1). It is equivalent to four relations

$$\frac{\alpha^{-1}\varepsilon}{2} \sum_{n=-\infty}^{\infty} S_{n\kappa}(x) S_{n\kappa}(x') = \delta(x - x'), \quad (7)$$

$$\frac{\alpha^{-1}\varepsilon^{-1}}{2} \sum_{n=-\infty}^{\infty} T_{n\kappa}(x) T_{n\kappa}(x') = \delta(x - x'), \quad (8)$$

$$\frac{\alpha^{-1}\varepsilon}{2} \sum_{n=-\infty}^{\infty} S_{n\kappa}(x) T_{n\kappa}(x') = 0 \quad (9)$$

and

$$\frac{\alpha^{-1}\varepsilon^{-1}}{2} \sum_{n=-\infty}^{\infty} T_{n\kappa}(x) S_{n\kappa}(x') = 0. \quad (10)$$

It is to be noticed that it is sufficient to prove relations (7)–(9) since equation (10) is an immediate consequence of equation (9). We start with the relation (7). Utilizing equations (3)–(5) we may successively transform its left-hand side as follows

$$\begin{aligned} & \frac{\alpha^{-1}\varepsilon}{2} \sum_{n=-\infty}^{\infty} S_{n\kappa}(x) S_{n\kappa}(x') \\ &= \frac{\alpha^{-1}\varepsilon}{2} \sum_{n=-\infty}^{\infty} \frac{\alpha(|n| + 2\gamma_\kappa)|n|!}{2\varepsilon N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \end{aligned}$$

$$\begin{aligned}
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp |n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp |n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(N_{n\kappa} \mp \kappa)|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
& + \left[ \sum_{n=-\infty}^0 \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
& = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
& + \sum_{n=1}^{\infty} \frac{(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
& - \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
& + \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
& - \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
& + \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
& + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
& \left. + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
& = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
& + \sum_{n=1}^{\infty} \frac{(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
& + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
& \left. + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
& = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
& + \sum_{n=1}^{\infty} \frac{(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
& \left. + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right]
\end{aligned}$$

$$\begin{aligned}
 & + \left[ \sum_{n=0}^{\infty} \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n-1)!}{\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \left. \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & + \left. \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') = \delta(x - x'), \tag{11}
 \end{aligned}$$

where the last equality stems from the closure relation (6). Thus we have proved the relation (7).

Consider now the relation (8). Successive transformations of its left-hand side yield

$$\begin{aligned}
 & \frac{\alpha^{-1}\varepsilon^{-1}}{2} \sum_{n=-\infty}^{\infty} T_{n\kappa}(x) T_{n\kappa}(x') \\
 & = \frac{\alpha^{-1}\varepsilon^{-1}}{2} \sum_{n=-\infty}^{\infty} \frac{\varepsilon\alpha(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x')
 \end{aligned}$$

$$\begin{aligned}
 & + \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!|}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!|}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp |n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp |n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(N_{n\kappa} \mp \kappa)|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!|}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + 2\gamma_\kappa)|n!|}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^0 \frac{(N_{n\kappa} + \kappa)|n!|}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(N_{n\kappa}-\kappa)n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(N_{n\kappa}+\kappa)n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n+2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa}-\kappa)\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n+2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa}+\kappa)\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(N_{n\kappa}-\kappa)n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(N_{n\kappa}+\kappa)n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(N_{n\kappa}+\kappa)(n-1)!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(N_{n\kappa}-\kappa)(n-1)!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(N_{n\kappa}-\kappa)n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(N_{n\kappa}+\kappa)n!}{N_{n\kappa}\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n-1)!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & \left. + \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & \left. + \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') = \delta(x-x'), \tag{12}
 \end{aligned}$$

where again the last equality follows from the closure relation (6). Thus we have proved correctness of the relation (8).

Finally, successive transformations of the left-hand side of the relation (9) give

$$\begin{aligned}
 & \frac{\alpha^{-1}\varepsilon}{2} \sum_{n=-\infty}^{\infty} S_{n\kappa}(x)T_{n\kappa}(x') \\
 = & \frac{\alpha^{-1}\varepsilon}{2} \sum_{n=-\infty}^{\infty} \frac{\alpha(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\
 \times & \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 = & \frac{\varepsilon}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \\
 \times & \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 = & \frac{\varepsilon}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 - & \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 + & \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 - & \left. \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 = & \frac{\varepsilon}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 - & \sum_{n=-\infty}^{\infty} \frac{\mp |n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 + & \sum_{n=-\infty}^{\infty} \frac{\mp |n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 - & \left. \sum_{n=-\infty}^{\infty} \frac{(N_{n\kappa} \mp \kappa)|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 = & \frac{\varepsilon}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 + & \sum_{n=-\infty}^{-1} \frac{(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 + & \sum_{n=1}^{\infty} \frac{|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 - & \left. \sum_{n=-\infty}^{-1} \frac{|n!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=1}^{\infty} \frac{|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & - \left. \sum_{n=-\infty}^0 \frac{(N_{n\kappa} + \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x')
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=0}^{\infty} \frac{(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \left. \sum_{n=0}^{\infty} \frac{(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\varepsilon}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n-1)!}{\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & \left. - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\varepsilon}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & \left. - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] = 0, \tag{13}
 \end{aligned}$$

where the last equality is obvious. This completes the proof of correctness of the closure relation (1).

Consider now the closure relation (2). It is equivalent to four relations

$$\frac{Z}{x} \sum_{n=-\infty}^{\infty} \mu_{n\kappa} S_{n\kappa}(x) S_{n\kappa}(x') = \delta(x - x'), \tag{14}$$

$$- \frac{Z}{x} \sum_{n=-\infty}^{\infty} \mu_{n\kappa}^{-1} T_{n\kappa}(x) T_{n\kappa}(x') = \delta(x - x'), \tag{15}$$

$$\frac{Z}{x} \sum_{n=-\infty}^{\infty} S_{n\kappa}(x) T_{n\kappa}(x') = 0 \tag{16}$$

and

$$- \frac{Z}{x} \sum_{n=-\infty}^{\infty} T_{n\kappa}(x) S_{n\kappa}(x') = 0. \tag{17}$$

We observe that the 'off-diagonal' relations (16) and (17) follow immediately from the relations (9) and (10) and therefore it is sufficient to prove the 'diagonal' relations (14) and (15), a task that is a little bit more difficult than proofs of the relations (7) and (8). Upon transforming the left-hand side of equation (14) we have

$$\begin{aligned}
 & \frac{Z}{x} \sum_{n=-\infty}^{\infty} \mu_{n\kappa} S_{n\kappa}(x) S_{n\kappa}(x') \\
 & = \frac{Z}{x} \sum_{n=-\infty}^{\infty} \frac{\varepsilon}{\alpha Z} (|n| + \gamma_\kappa \pm N_{n\kappa}) \frac{\alpha(|n| + 2\gamma_\kappa)|n!}{2\varepsilon N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)}
 \end{aligned}$$

$$\begin{aligned}
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_\kappa \pm N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_\kappa \pm N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \pm N_{n\kappa})(N_{n\kappa} \mp \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa + N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa - N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa + N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa - N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa + N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa - N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(|n| + \gamma_\kappa + N_{n\kappa})(N_{n\kappa} - \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & + \left[ \sum_{n=-\infty}^0 \frac{(|n| + \gamma_\kappa - N_{n\kappa})(N_{n\kappa} + \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa - 1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa - 1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa + N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa - 1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \kappa)(n-1)!}{\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n+\gamma_\kappa-\kappa)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n+\gamma_\kappa+\kappa+1)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n+\gamma_\kappa-\kappa)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(2n+2\gamma_\kappa+1)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right]. \tag{18}
 \end{aligned}$$

Before we shall identify the obtained expression, we shall transform to the same form the left-hand side of the relation (15)

$$\begin{aligned}
 & - \frac{Z}{x} \sum_{n=-\infty}^{\infty} \mu_{n\kappa}^{-1} T_{n\kappa}(x) T_{n\kappa}(x') \\
 & = - \frac{Z}{x} \sum_{n=-\infty}^{\infty} \frac{-\varepsilon^{-1}}{\alpha Z} (|n| + \gamma_\kappa \mp N_{n\kappa}) \frac{\alpha \varepsilon (|n| + 2\gamma_\kappa) |n|!}{2 N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right.
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} \mp N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_{\kappa})} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_{\kappa}} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} \mp N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_{\kappa})} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_{\kappa}} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & + \left. \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} \mp N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_{\kappa})} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_{\kappa}} \right)^2 L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_{\kappa}-1} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} \mp N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_{\kappa} \mp N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_{\kappa} \mp N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} \mp N_{n\kappa})(N_{n\kappa} \mp \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_{\kappa}-1} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} - N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} + N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} - N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} + N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} - N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} + N_{n\kappa})|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(|n| + \gamma_{\kappa} - N_{n\kappa})(N_{n\kappa} - \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=-\infty}^0 \frac{(|n| + \gamma_{\kappa} + N_{n\kappa})(N_{n\kappa} + \kappa)|n|!}{N_{n\kappa}\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_{\kappa}-1} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} - \kappa)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} + \kappa)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{1}{2} x^{\gamma_{\kappa}-1} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = x^{\gamma_{\kappa}-1} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \kappa)(n-1)!}{\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \kappa)n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = x^{\gamma_{\kappa}-1} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \kappa + 1)n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n+\gamma_\kappa+\kappa)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa-1} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(2n+2\gamma_\kappa+1)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right]. \tag{19}
 \end{aligned}$$

Consider now the closure relation (6) in the case  $\alpha = 2\gamma_\kappa - 1$ . Upon utilizing the recurrence relation

$$L_n^{(\alpha)}(x) = L_n^{(\alpha+1)}(x) - L_{n-1}^{(\alpha+1)}(x) \tag{20}$$

we may transform it as follows

$$\begin{aligned}
 \delta(x-x') & = x^{\gamma_\kappa-1/2} x'^{\gamma_\kappa-1/2} e^{-(x+x')/2} \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa-1)}(x) L_n^{(2\gamma_\kappa-1)}(x') \\
 & = x^{\gamma_\kappa-1/2} x'^{\gamma_\kappa-1/2} e^{-(x+x')/2} \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} \left[ L_n^{(2\gamma_\kappa)}(x) - L_{n-1}^{(2\gamma_\kappa)}(x) \right] \left[ L_n^{(2\gamma_\kappa)}(x') - L_{n-1}^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa-1/2} x'^{\gamma_\kappa-1/2} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa-1/2} x'^{\gamma_\kappa-1/2} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n+1)!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa-1/2} x'^{\gamma_\kappa-1/2} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(2n+2\gamma_\kappa+1)n!}{\Gamma(n+2\gamma_\kappa+1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right.
 \end{aligned}$$

$$- \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') - \sum_{n=1}^{\infty} \frac{n!}{\Gamma(n+2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \Big]. \quad (21)$$

Comparison of equations (18), (19) and (21) yields

$$\frac{Z}{x} \sum_{n=-\infty}^{\infty} \mu_{n\kappa} S_{n\kappa}(x) S_{n\kappa}(x') = \sqrt{x'/x} \delta(x-x') = \delta(x-x') \quad (22)$$

and

$$- \frac{Z}{x} \sum_{n=-\infty}^{\infty} \mu_{n\kappa}^{-1} T_{n\kappa}(x) T_{n\kappa}(x') = \sqrt{x'/x} \delta(x-x') = \delta(x-x') \quad (23)$$

which completes the proofs of the relations (14) and (15) and consequently of the closure relation (2).

## 2 A transformed form of the radial Dirac-Coulomb Green function

In the Sturmian expansions of the radial Dirac-Coulomb Green function (equations (134) and (135) of Ref. [1]), the elements  $g_\kappa^{(ij)}(r, r'; E)$  have been expressed as infinite series with summations running over all, positive and negative, integers. By reducing terms with the same  $|n|$  to a common denominator, the expansions may be transformed to forms containing only summations over non-negative integers. Defining

$$\epsilon = \frac{E}{mc^2}, \quad \omega = \frac{\zeta\epsilon}{\sqrt{1-\epsilon^2}}, \quad (24)$$

one has

$$\begin{aligned} g_\kappa^{(11)}(r, r'; E) &= \sum_{n=-\infty}^{\infty} \frac{\mu_{n\kappa}}{\mu_{n\kappa} - 1} S_{n\kappa}(x) S_{n\kappa}(x') \\ &= \sum_{n=-\infty}^{\infty} \frac{1}{1 + \frac{|n| + \gamma_\kappa \mp N_{n\kappa}}{\epsilon\zeta}} \frac{\alpha(|n| + 2\gamma_\kappa)|n!}{2\epsilon N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha\zeta(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa}}{(|n| + \gamma_\kappa + \epsilon\zeta)^2 - N_{n\kappa}^2} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha\zeta(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa}}{2\epsilon\zeta(|n| + \gamma_\kappa - \omega)} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= \frac{\alpha}{4\epsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \end{aligned}$$

$$\begin{aligned}
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\alpha}{4\varepsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\alpha}{4\varepsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta \pm N_{n\kappa})(N_{n\kappa} \mp \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\alpha}{4\varepsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} - \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})(|n| + 2\gamma_\kappa)|n|!}{N_{n\kappa}(N_{n\kappa} + \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(|n| + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & + \left[ \sum_{n=-\infty}^0 \frac{(|n| + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\alpha}{4\varepsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} - \kappa)(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} + \kappa)(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right], \\
 & = \frac{\alpha}{4\varepsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa + \varepsilon\zeta + \kappa)(n-1)!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & + \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa})}(x) - L_n^{(2\gamma_{\kappa}-1)}(x) \right] L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) \left[ L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. \right\}
 \end{aligned}$$

$$\begin{aligned}
 & + \sum_{n=0}^{\infty} \frac{(-n - 3\gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \Big\} \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \omega + 1 + \varepsilon\zeta + \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & + \left. \sum_{n=0}^{\infty} \frac{(-n - \gamma_{\kappa} + \omega + \varepsilon\zeta - \omega - 2\gamma_{\kappa} - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{(\varepsilon\zeta + \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(\varepsilon\zeta - \omega - 2\gamma_{\kappa} - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ (\varepsilon\zeta + \omega + \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & + \left. (\varepsilon\zeta - \omega - 2\gamma_{\kappa} - \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2\varepsilon} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \left( \frac{\zeta}{\sqrt{1-\varepsilon^2}} + \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & + \left. \left( \frac{\zeta(1-2\varepsilon)}{\sqrt{1-\varepsilon^2}} - 2\gamma_{\kappa} - \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \quad (25)
 \end{aligned}$$

$$g_{\kappa}^{(12)}(r, r'; E) = \sum_{n=-\infty}^{\infty} \frac{1}{\mu_{n\kappa} - 1} S_{n\kappa}(x) T_{n\kappa}(x')$$

$$= \sum_{n=-\infty}^{\infty} \frac{1}{\varepsilon \frac{|n| + \gamma_{\kappa} \pm N_{n\kappa}}{\zeta} - 1} \frac{\alpha(|n| + 2\gamma_{\kappa})n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_{\kappa})} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2}$$

$$\begin{aligned}
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha \zeta (|n| + 2\gamma_\kappa) |n|!}{2\varepsilon N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa}}{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta)^2 - N_{n\kappa}^2} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha \zeta (|n| + 2\gamma_\kappa) |n|!}{2\varepsilon N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa}}{(-2)\varepsilon^{-1} \zeta (|n| + \gamma_\kappa - \omega)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp (|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa}) |n|!}{N_{n\kappa} (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{\infty} \frac{\mp (|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa}) |n|!}{N_{n\kappa} (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & \left. - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(N_{n\kappa} \mp \kappa) |n|!}{N_{n\kappa} (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta - N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} - \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta + N_{n\kappa})(|n| + 2\gamma_\kappa) |n|!}{N_{n\kappa} (N_{n\kappa} + \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta - N_{n\kappa}) |n|!}{N_{n\kappa} (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x')
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & - \left. \sum_{n=-\infty}^0 \frac{(|n| + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa + 1)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} - \kappa)(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})(n + 2\gamma_\kappa)n!}{N_{n\kappa}(N_{n\kappa} + \kappa)(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & - \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_{n-1}^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \\
 & + 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} L_n^{(2\gamma_\kappa)}(x) L_{n-1}^{(2\gamma_\kappa)}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(n + \gamma_\kappa - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x')
 \end{aligned}$$

$$\begin{aligned}
 & - \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa)(n-1)!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa})}(x) - L_n^{(2\gamma_{\kappa}-1)}(x) \right] L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) \left[ L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \omega + 1 - \varepsilon^{-1}\zeta + \omega - \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \omega - \varepsilon^{-1}\zeta + \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = -\frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{(\varepsilon^{-1}\zeta - \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(\varepsilon^{-1}\zeta - \omega - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ (\varepsilon^{-1}\zeta - \omega + \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. - (\varepsilon^{-1}\zeta - \omega - \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \left( \frac{\zeta}{\sqrt{1-\varepsilon^2}} + \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & \left. - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \right\}
 \end{aligned}$$

$$- \left( \frac{\zeta}{\sqrt{1-\epsilon^2}} - \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \Big\}, \quad (26)$$

$$\begin{aligned} g_\kappa^{(21)}(r, r'; E) &= \sum_{n=-\infty}^{\infty} \frac{\mu_{n\kappa}}{\mu_{n\kappa} - 1} T_{n\kappa}(x) S_{n\kappa}(x') \\ &= \sum_{n=-\infty}^{\infty} \frac{1}{1 + \frac{|n| + \gamma_\kappa \mp N_{n\kappa}}{\epsilon\zeta}} \frac{\alpha(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha\epsilon\zeta(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa}}{(|n| + \gamma_\kappa + \epsilon\zeta)^2 - N_{n\kappa}^2} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha\epsilon\zeta(|n| + 2\gamma_\kappa)|n!}{2N_{n\kappa}(N_{n\kappa} \mp \kappa)\Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa}}{2\epsilon\zeta(|n| + \gamma_\kappa - \omega)} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= \frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \\ &\times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') + \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= \frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\ &+ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\ &- \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \\ &\left. - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} \right)^2 L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\ &= \frac{\alpha}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})(|n| + 2\gamma_\kappa)|n!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\ &+ \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})|n!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\ &\left. - \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_\kappa + \epsilon\zeta \pm N_{n\kappa})|n!}{N_{n\kappa}(|n| + \gamma_\kappa - \omega)\Gamma(|n| + 2\gamma_\kappa)} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right] \end{aligned}$$

$$\begin{aligned}
 & - \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta \pm N_{n\kappa})(N_{n\kappa} \mp \kappa)|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})(|n| + 2\gamma_{\kappa})|n!|}{N_{n\kappa}(N_{n\kappa} - \kappa)(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})(|n| + 2\gamma_{\kappa})|n!|}{N_{n\kappa}(N_{n\kappa} + \kappa)(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=-\infty}^0 \frac{(|n| + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)|n!|}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x) L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} - \kappa)(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} + \kappa)(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa)(n-1)!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa})}(x) - L_n^{(2\gamma_{\kappa}-1)}(x) \right] L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) \left[ L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. - \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right.
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \\
 & - \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta + \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & - \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} + \varepsilon\zeta - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \omega + 1 + \varepsilon\zeta + \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & - \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \omega + \varepsilon\zeta + \omega - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{(\varepsilon\zeta + \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \left. \sum_{n=0}^{\infty} \frac{(\varepsilon\zeta + \omega - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ (\varepsilon\zeta + \omega + \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \left. (\varepsilon\zeta + \omega - \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right\} \\
 & = \frac{\alpha}{2} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left\{ \left( \frac{\zeta}{\sqrt{1-\varepsilon^2}} + \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega + 1)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa)} \left[ L_n^{(2\gamma_\kappa-1)}(x) L_n^{(2\gamma_\kappa)}(x') - L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa-1)}(x') \right] \\
 & \left. - \left( \frac{\zeta}{\sqrt{1-\varepsilon^2}} - \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_\kappa - \omega)\Gamma(n + 2\gamma_\kappa + 1)} L_n^{(2\gamma_\kappa)}(x) L_n^{(2\gamma_\kappa)}(x') \right\} \quad (27)
 \end{aligned}$$

$$\begin{aligned}
 g_\kappa^{(22)}(r, r'; E) & = \sum_{n=-\infty}^{\infty} \frac{1}{\mu_{n\kappa} - 1} T_{n\kappa}(x) T_{n\kappa}(x') \\
 & = \sum_{n=-\infty}^{\infty} \frac{1}{\varepsilon \frac{|n| + \gamma_\kappa \pm N_{n\kappa}}{\zeta} - 1} \frac{\alpha \varepsilon (|n| + 2\gamma_\kappa) |n!|}{2N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha \zeta (|n| + 2\gamma_\kappa) |n!|}{2N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa}}{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta)^2 - N_{n\kappa}^2} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{\alpha \zeta (|n| + 2\gamma_\kappa) |n!|}{2N_{n\kappa} (N_{n\kappa} \mp \kappa) \Gamma(|n| + 2\gamma_\kappa)} \frac{|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa}}{(-2)\varepsilon^{-1} \zeta (|n| + \gamma_\kappa - \omega)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha \varepsilon}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n!|}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \\
 & \times \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x) - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) \right] \left[ L_{|n|-1}^{(2\gamma_\kappa)}(x') - \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x') \right] \\
 & = -\frac{\alpha \varepsilon}{4} x^{\gamma_\kappa} x'^{\gamma_\kappa} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n!|}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n!|}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|-1}^{(2\gamma_\kappa)}(x) L_{|n|}^{(2\gamma_\kappa)}(x') \\
 & \left. - \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_\kappa - \varepsilon^{-1} \zeta \mp N_{n\kappa})(|n| + 2\gamma_\kappa) |n!|}{N_{n\kappa} (N_{n\kappa} \mp \kappa) (|n| + \gamma_\kappa - \omega) \Gamma(|n| + 2\gamma_\kappa)} \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_\kappa} L_{|n|}^{(2\gamma_\kappa)}(x) L_{|n|-1}^{(2\gamma_\kappa)}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & + \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta \mp N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} \left( \frac{\kappa \mp N_{n\kappa}}{|n| + 2\gamma_{\kappa}} \right)^2 L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta \mp N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} \mp \kappa)(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x)L_{|n|-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta \mp N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{\infty} \frac{\mp(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta \mp N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=-\infty}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta \mp N_{n\kappa})(N_{n\kappa} \mp \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} - \kappa)(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x)L_{|n|-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(|n| + 2\gamma_{\kappa})|n|!}{N_{n\kappa}(N_{n\kappa} + \kappa)(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x)L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|-1}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=-\infty}^{-1} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa})} L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=-\infty}^0 \frac{(|n| + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)|n|!}{N_{n\kappa}(|n| + \gamma_{\kappa} - \omega)\Gamma(|n| + 2\gamma_{\kappa} + 1)} L_{|n|}^{(2\gamma_{\kappa})}(x)L_{|n|}^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} - \kappa)(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x)L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(n + 2\gamma_{\kappa})n!}{N_{n\kappa}(N_{n\kappa} + \kappa)(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x)L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x)L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x)L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x)L_{n-1}^{(2\gamma_{\kappa})}(x') \right]
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{4} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=1}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} + \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} - \kappa)(n-1)!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & - 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - 2 \sum_{n=1}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - N_{n\kappa})(N_{n\kappa} - \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + N_{n\kappa})(N_{n\kappa} + \kappa)n!}{N_{n\kappa}(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa)(n-1)!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_{n-1}^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_{n-1}^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right.
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa})}(x) - L_n^{(2\gamma_{\kappa}-1)}(x) \right] L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) \left[ L_n^{(2\gamma_{\kappa})}(x') - L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & + \left. \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left[ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right] \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \varepsilon^{-1}\zeta - \kappa + 1)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. + \sum_{n=0}^{\infty} \frac{(-n - 3\gamma_{\kappa} - \varepsilon^{-1}\zeta + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{(n + \gamma_{\kappa} - \omega + 1 - \varepsilon^{-1}\zeta + \omega - \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & \left. + \sum_{n=0}^{\infty} \frac{(-n - \gamma_{\kappa} + \omega - \varepsilon^{-1}\zeta - \omega - 2\gamma_{\kappa} + \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = -\frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{(\varepsilon^{-1}\zeta - \omega + \kappa)n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n + 2\gamma_{\kappa} + 1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & \left. + \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n + 2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \right\}
 \end{aligned}$$

$$\begin{aligned}
 & - \sum_{n=0}^{\infty} \frac{n!}{\Gamma(n+2\gamma_{\kappa}+1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \\
 & - \left. \sum_{n=0}^{\infty} \frac{(\varepsilon^{-1}\zeta + \omega + 2\gamma_{\kappa} - \kappa)n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n+2\gamma_{\kappa}+1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ (\varepsilon^{-1}\zeta - \omega + \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n+2\gamma_{\kappa}+1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n+2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & + \left. (\varepsilon^{-1}\zeta + \omega + 2\gamma_{\kappa} - \kappa) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n+2\gamma_{\kappa}+1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\} \\
 & = \frac{\alpha\varepsilon}{2} x^{\gamma_{\kappa}} x'^{\gamma_{\kappa}} e^{-(x+x')/2} \left\{ \left( \frac{\zeta}{\sqrt{1-\varepsilon^2}} + \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega + 1)\Gamma(n+2\gamma_{\kappa}+1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right. \\
 & - \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n+2\gamma_{\kappa})} \left[ L_n^{(2\gamma_{\kappa}-1)}(x) L_n^{(2\gamma_{\kappa})}(x') + L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa}-1)}(x') \right] \\
 & + \left. \left( \frac{\zeta(1+2\varepsilon)}{\sqrt{1-\varepsilon^2}} + 2\gamma_{\kappa} - \kappa \right) \sum_{n=0}^{\infty} \frac{n!}{(n + \gamma_{\kappa} - \omega)\Gamma(n+2\gamma_{\kappa}+1)} L_n^{(2\gamma_{\kappa})}(x) L_n^{(2\gamma_{\kappa})}(x') \right\}. \tag{28}
 \end{aligned}$$

## References

- [1] R. Szmytkowski *J. Phys. B: At. Mol. Opt. Phys.* **30** (1997) 825–61 [Erratum: **30** (1997) 2747]
- [2] R. Szmytkowski *J. Phys. A: Math. Gen.* **31** (1998) 4963–90 [Erratum: **31** (1998) 7415–6]